

PARTS PRICE LIST



*1917 Models
68 and 69*

Anderson Electric Car Co.
Detroit, Michigan



PARTS PRICE LIST



*1917 Models
68 and 69*

Anderson Electric Car Co.
Detroit, Michigan



GENERAL EXPLANATIONS AND DIRECTIONS

In the listing of parts in this catalog five columns are used. The first gives the part number and **by this number only** parts should be ordered; the second gives name of part which should be used as listed in ordering parts; the third shows number used per car; the fourth, price each; the last, factory number, which does not concern owner and should never be used in ordering of parts.

In the list, there will occasionally be found standard parts such as bolts, screws, cotter pins, nuts, washers, etc., of which there are no illustrations and to which no part numbers have been assigned. These can be obtained, with the detailed description given, from the open market in any city. The following will explain the description of these standard parts given in the catalog:

Bolts—

(No. 14—20x7/8" Round)—Size No. 14—20 threads per inch—7/8" long—Round head.

(7/16"—14x2" Hex.)—Size 7/16"—14 threads per inch—2" long—Hexagon head.

Cotter pins—

(3/16x1 1/2")—3/16" in dia.—1 1/2" long from eye to end.

Wood Screws—

(No. 5x3/4" Flat)—Size (approx.) No. 5—3/4" long—Flat head.

Washers—

(15/16" O. D.—17/32" I. D. x 1/16" thick)—O. D. Outside dia.—I. D. Inside dia.

In the course of the production of any model it is and has been our policy to discard, change any part or parts, or add new parts to the car, that we deem would be an improvement thereto, rather than to hold same up until the next year's production. Therefore, a car bought several months after production has started may not be identical in detail with one of the first. This catalog will cover all changes up to date of publication. Parts which supersede others, will be given the same number with a letter prefix; for instance A-889. Should another change be made on this same part it would be listed B-889.

PARTS ORDERS

Unless the following directions are strictly complied with, we will not be responsible for errors or delays:

If when ordering you should find the part on the car does not correspond with the one listed and pictured in the catalog, or if unable to find part listed at all, be sure to **give a detailed and exact description of same**. Send sketch if you consider necessary. By this method many errors and delays will be avoided.

Do not leave anything to be understood.

In ordering all parts give Model, Car Number and Name of Part. The Complete Number as shown in the list of parts must in all cases be prefixed by the Model Number of the car; for instance—68-201, 69-409, etc.

Be sure to state the quantity of each part ordered. The column to the left of the price column shows the number of each part required for a complete car. To illustrate: No. 112 is a rear hub. There are two on each car and they are \$7.50 each, as shown in the description of Plate No. 1.

Parts marked right and left are on the respective sides as you drive the car.

All prices are net cash, f. o. b. factory, Detroit, Michigan. In order to avoid the necessity of opening numerous small accounts we require a remittance to accompany each order for all parts ordered by others than our regular agents; otherwise the orders will be filled C. O. D.

All prices herein are subject to change without notice.

We do not list any parts at less than five cents for the reason that, although the cost of the part may be no more than a cent or two, the cost of handling may be several times that amount.

RETURNED GOODS

It is absolutely necessary that transportation charges be prepaid on all shipments to us for credit, replacement or repairs. **If not these shipments will be refused by us.**

Also advise us by mail at the time shipment is made what disposition should be made of it so that there will be no unnecessary correspondence and delay. In returning parts for credit, we must have our invoice date or number upon which you were charged for this or the replacing part. We can not pass credit without this information so please give it to us in first letter.




PLATE No. 1

WHEELS—FRONT AXLE

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

PLATE No. 1

WHEELS

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
102	Wire wheel, only, with locking ring, 32x4 (33x4 1/2" S. S. tire)	4	\$23.00	35771
106	Wire wheel tire locking ring	4	2.50	
108	Front wheel hub, right, with bearing cups	1	10.00	35484
108-1	Front wheel hub, left, with bearing cups	1	10.00	35481
109	Front wheel hub dust cover	2	.20	35482
	Machine screw and lockwasher (No. 14-20x3/8" R. H.)	12	.10	{36x36360 42x4227
110	Front wheel hub bearing cup—Timken No. 3320	2	2.00	
111	Front wheel hub bearing cup—Timken No. 2320	2	1.35	
112	Rear wheel hub, right	1	6.50	37492
112-1	Rear wheel hub, left	1	6.50	37491
113	Rear wheel brake drum	2	5.00	37516
114-1	Rear wheel hub bolt and driving stud	12	.15	37500
	Nut and lockwasher (7/16"-20 Hex.)	12	.05	{37x3713 42x4230
115	Hub cap, right	2	3.50	
115-1	Hub cap, left	1	3.50	
117	Hub odometer—33" wheel	1	15.00	35770

PLATE No. 1

FRONT AXLE

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
201	Assembly	1	87.50	33829
202	Center, with lower bushings	1	31.25	35480
203	Steering knuckle complete, right, with bearing, bushing, ball pin, nut and washer	1	15.65	Assembly
203-1	Steering knuckle only, right	1	12.50	33822
203-2	Steering knuckle lever, right, less ball pins	1	3.15	35452
	Woodruff key (No. 13)	1	.05	47x4723
	Nut and washer (5/8"-18 Hex.-Castle)	1	.05	{39x3931 41x4171
	Cotter pin (3/32"x1")	1	.05	52x5227
204	Steering knuckle complete, left, with bearing, bushing, ball pins, nut and washer	1	18.75	Assembly
204-1	Steering knuckle only, left	1	12.50	33823
204-2	Steering knuckle lever, left, less ball pins	1	6.25	35453
	Woodruff key (No. 13)	1	.05	47x4723
	Nut and washer (5/8"-18 Hex.-Castle)	1	.05	{39x3931 41x4172
	Cotter pin (3/32"x1")	1	.05	52x5217
205	Steering knuckle pin bushing, in axle	2	.40	33814
205-1	Steering knuckle spacer	2	.90	33815
206	Steering knuckle ball pin	3	.65	33816
	Nut (7/16"-20 Hex.-Castle)	3	.05	39x3913
	Cotter pin (3/32"x1")	3	.05	52x5217
207	Steering knuckle pin	2	1.80	33813
207-1	Steering knuckle pin nut	2	.35	35460
	Lockwasher (27/32" O. D.-1/2" I. D.x1/8" thick)	2	.05	42x4231
207-2	Steering knuckle pin clamp stud	2	.20	33824
	Nut and lockwasher (1/4"-28 Hex.)	2	.05	{37x3710 42x4211
208-1	Tie rod, complete assembly, with socket, plungers, plugs, etc.	1	10.00	33806
209	Tie rod only	1	6.25	35485

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.




PLATE No. 1
FRONT AXLE—Cont'd.

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
210	Tie rod adjusting socket only.....	1	1.25	33805
211	Tie rod adjusting socket clamp nut.....	1	.40	35458
213	Tie rod socket plunger (13/16" dia.-13/16" long).....	2	.40	12610
	Plain washer (13/16" O. D.-7/16" I. D.x1/16" thick).....	2	.05	41x4154
	Lockwasher (25/32" O. D.-7/16" I. D.x1/8" thick).....	2	.05	42x4230
216	Tie rod socket plug (13/16" long-6 slot).....	2	.50	33804
	Cotter pin (1/8"x1 1/2").....	2	.05	52x5223
218-1	Steering knuckle pin grease cup cap—Sterling No. 000.....	4	.45	57x5750
219	Steering knuckle spindle nut, right thread.....	1	.40	39x3928
220	Steering knuckle spindle nut, left thread.....	1	.40	39x3929
	Cotter pin (1/8"x1 1/2").....	2	.05	52x5223
222	Steering knuckle spindle washer.....	2	.15	12212
224	Steering knuckle spindle bearing, Timken No. 235.....	2	2.60	
225	Steering knuckle spindle bearing, Timken No. 342.....	2	4.00	
226	Steering knuckle thrust bearing, complete, races and balls.....	2	3.60	Assembly
227	Steering knuckle thrust bearing race, upper.....	2	1.65	33817
228	Steering knuckle thrust bearing race, lower.....	2	.95	33818
229	Steering knuckle thrust bearing ball (3/8" dia.).....	22	.05	
232	Steering knuckle stop stud.....	2	.25	12208
	Nut and lockwasher (3/8"-24 Hex.).....	2	.05	37x3712 42x4229
233	Tie rod socket boot, leather.....	2	.30	22615
233-1	Tie rod socket boot lace.....	2	.05	
235	Steering knuckle spindle bearing dust felt.....	2	.20	33825
236	Steering knuckle spindle bearing dust felt retainer, inner.....	2	.15	33827
237	Steering knuckle spindle bearing dust felt retainer, outer, thin.....	2	.15	33826
A-237	Steering knuckle spindle bearing dust felt retainer, outer, thick.....	2	.15	35462

PLATE No. 2
STEERING GEAR

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
401	Handle.....	1	\$5.00	36013
402	Handle grip.....	1	.50	12619
403	Mast only.....	1	9.35	37431
404	Handle binder screw.....	1	.50	34420
404-1	Handle binder screw locking plug.....	1	.25	12618
	Ball (5/16" standard).....	1	.05	
407-2	Mast bearing ball race, upper.....	2	.70	37426
407-3	Mast bearing adjusting nut, upper.....	1	.70	37428
409	Mast lever, lower.....	1	1.50	37447
	Bolt and nut (1/2"-20x2" Hex.).....	1	.10	20x2021 39x3914
	Cotter pin (3/32"x1").....	1	.05	52x5217
409-1	Mast lever ball stud.....	1	.65	33816
	Nut (7/16"-20 Hex.-Castle).....	1	.05	39x3913
	Cotter pin (3/32"x1").....	1	.05	52x5217
412	Mast grease cup (No. 000 Winkley).....	1	.30	57x5767
413	Mast thrust washer, lower end.....	1	.20	12621
413-2	Reach rod, complete, with socket, plungers, plugs, springs, etc.....	1	10.00	37436
414-1	Reach rod only.....	1	6.25	37437

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

PLATE No. 2
STEERING GEAR—SPRINGS

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

PLATE No. 2
STEERING GEAR—Cont'd.

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
415	Reach rod adjusting socket.....	1	1.90	34399
415-1	Reach rod socket boot and lace.....	2	.40	22614 12627
415-2	Reach rod socket clamp nut.....	1	.40	35458
416	Reach rod plunger.....	4	.40	34398
417	Reach rod socket plunger spring.....	4	.10	34401
418	Reach rod socket plug, flat.....	2	.25	12613
	Cotter pin (1/8"x1 1/2").....	2	.05	52x5223
446	Handle locking plunger.....	1	.30	36019
	Screw and lockwasher (No. 10-24x3/8" Round).....	1	.05	42x4226 36x36340
475	Lower bracket.....	1	3.25	37424
	Screw (No. 14x1 1/2" Oval).....	2	.05	75x75181
	Bolt, nut and lockwasher (5/16"-24x1 1/2" Hex.).....		.10	37x3711 41x4152
480	Mast spring, lower.....	1	.50	36086
481	Mast bearing race, lower, conical.....	1	.50	37753
482	Mast bearing race, lower, cup (Superseded).....	1	.50	37754
A-482	Mast bearing race, lower, cup.....	1	.50	37825
	Ball (3/8" Standard).....	15	.05	
483	Mast bearing adjusting nut lower (Superseded).....	1	1.15	37427
A-483	Mast bearing adjusting nut, lower.....	1	1.20	37826
484	Mast bearing thrust washer—thick.....	1	.50	37442
484-1	Mast bearing thrust washer—thin.....	2	.10	37443
495	Mast bearing dust washer, felt.....	1	.05	37434
495-1	Mast bearing dust washer retainer washer.....	1	.05	37433

PLATE No. 2
SPRINGS

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
601	Rear.....	1	22.50	38151
602	Rear eye bushing (15/16" O. D.-5/8" I. D. x2" length—Bronze).....	4	.80	35343
602-1	Front eye bushing (15/16" O. D.-5/8" I. D. x1 3/4" length—Bronze).....	4	.45	35317
603	Shackle link, rear spring (5/8" plain-21/2" centers).....	2	.45	35344
A-603	Shackle link, rear spring (assembly).....	2	1.20	35350
603-1	Shackle link, rear spring (5/8"-18 threaded-2 1/2" centers).....	2	.65	35345
605	Rear spring shackle bolt, rear.....	4	.80	35342
	Lockwasher (1 1/32" O. D.-5/8" I. D. x1/8" thick).....	4	.05	42x4251
	Nut (5/8"-18x1/4" thick-Hex.).....	4	.05	37x3726
605-1	Rear spring shackle bolt, front.....	2	.45	35349
	Nut (5/8"-18x23/32 thick, Castle).....	2	.10	39x3916
	Cotter pin (1/8"x1 1/2" long).....	2	.05	52x5223
607	Clip, front (3 7/8"x2 1/2", 1/2"-20 thread).....	4	.40	33609
	Nut (1/2"-20 Hex.).....	8	.05	37x3714
	Lockwasher (27/32" O. D.-1/2" I. D. x1/8" thick).....	8	.05	42x4231
608	Clip, rear.....	4	.40	35347
	Nut (5/8"-18 Hex.).....	8	.05	37x3716
	Lockwasher (1-1/32" O. D.-5/8" I. D. x1/8" thick).....	8	.05	42x4251
609	Clip tie bar, rear.....	4	.45	35346
612	Front.....	2	12.50	38152
615	Shackle link, front spring (assembly sold only).....	2	1.20	35341
A-615	Shackle link, front spring (assembly sold only).....	2	1.20	38155
616	Front spring shackle bolt.....	6	.75	35305
	Nut (5/8"-18 Hex.).....	6	.05	37x3726
	Lockwasher (1-1/32" O. D.-5/8" I. D. x1/8" thick).....	6	.05	42x4251
620	Clip plate, front.....	2	.30	33620
622	Bumper, rubber, front.....	2	.25	33625
622-1	Bumper reinforcement.....	2	.05	33626
623	Seat liner, front.....	4	.05	33621
624	Seat liner, rear.....	2	.05	35348

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.




PLATE No. 3


REAR AXLE

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

PLATES No. 3 AND 4

REAR AXLE

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
801	Unit, complete.....	1	450.00	47525
803-1	Housing, complete, with brake support.....	1	50.00	Assembly
803-4	Housing and differential carrier gasket.....	1	.20	36810
832	Brake cam shaft, left.....	1	4.00	37512
832-4	Brake cam shaft collar.....	2	.25	37507
	Cotter pin (3/16"-2").....	2	.05	52x5235
832-8	Brake cam shaft grease cup and tube.....	2	.50	36873
833	Brake cam shaft, right.....	1	4.00	37511
833-1	Brake cam shaft bushing in spider (1-1/4" O. D.-1" I. D.x1-1/2" length—Nigrum).....	2	.95	37505
833-2	Brake cam shaft bushing in carrier (1" O. D.-3/4" I. D.x1-1/2" length—Nigrum).....	2	.65	35445
834	Brake shoe, half lined.....	4	4.50	37487
834-5	Brake shoe bushing.....	4	.35	36875
835	Brake shoe lining (16-1/2"x2"x3/16").....	2	.65	37486
	Rivet (No. 9x5/8" Copper).....	24	.05	90x9026
837	Brake shoe hinge pin.....	2	.75	37506
	Nut and lockwasher (5/8"-18 Hex.).....	2	.05	37x3716
838-4	Brake shoe end fitting plate.....	4	.90	42x4251
	Bolt, nut and lockwasher (1/2"-20x2-5/8" Hex.).....	4	.10	35408
			20x2051
			37x3714
			42x4231
838-5	Brake shoe end fitting plate shim.....		.15	35401
			36853
			36872
839	Brake shoe contracting spring.....	2	.30	33732
845	Brake cam shaft lever.....	2	1.25	37513
	Bolt, nut and lockwasher (5/16"-24x1-3/4" Hex.).....	2	.10	17x1720
			37x3711
			42x4228
			47x4718
			17x1768
			37x3711
			42x4228
845-1	Brake cam shaft lever release spring, right.....	1	.25	37509
845-3	Brake cam shaft lever release spring, left.....	1	.25	37510
847-6	Pinion bearing spacer.....	1	.50	35446
848-1	Pinion bearing retainer nut.....	1	1.00	37502
848-2	Pinion bearing retainer nut lock wire.....	1	.05	37501
849	Pinion bearing, rear (Gurney No. 309).....	1	6.75	
849-1	Pinion bearing adjustment cup.....	1	2.50	37490
849-2	Pinion bearing, front (S. K. F. No. 2307) May be substituted by No. 6307 H. B. Monarch with 2 spacers (37529 and 37530).....	1	7.60	
851	Propeller shaft assembly (Spicer Mfg. Co.).....	1	25.00	37524
	Propeller shaft only.....	1	18.00	
	*Propeller shaft universal joint end yoke.....	2	3.50	
	*Propeller shaft universal joint sliding yoke.....	1	5.00	
	*Propeller shaft universal joint cross yoke.....	2	1.70	
	*Propeller shaft universal joint cross bushing.....	8	.40	
	*Propeller shaft universal joint cross bushing lock wire.....	4	.10	
	Propeller shaft universal joint casing, inside.....	2	1.00	
	Propeller shaft universal joint casing oil plug.....	1	.10	
	Propeller shaft universal joint casing, outside.....	1	1.00	
	Propeller shaft universal joint casing packing.....	1	.20	
	Propeller shaft universal joint casing locknut.....	1	.75	
	Propeller shaft universal joint dust cap.....	1	1.00	
	Propeller shaft universal joint dust felt.....	1	.20	
	Propeller shaft universal joint dust felt washer.....	1	.20	



LATE No. 4

REAR AXLE

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

PLATES No. 3 AND 4

REAR AXLE—Continued

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
A-851	Propeller shaft assembly (Universal Products Co.)	1	25.00	37518
	Propeller shaft only	1	20.00	
	*Propeller shaft universal joint ball housing	2	8.15	
	*Propeller shaft universal joint ball housing	4	.75	
	*Propeller shaft universal joint ball pin	2	.50	
	*Propeller shaft universal joint boot	2	.50	
	*Propeller shaft universal joint gasket	2	.30	
No part numbers have been assigned to above parts as it is advisable to return complete assembly when any amount of repairs are necessary. This listing is for your convenience.				
*Parts so designated are carried in stock by us.				
A-855	Driving flange (Universal Products joint)	1	5.25	37520
	Bolt and nut (3/8"-24x1" Hex.)	6	.10	{18x1864 39x3912
	Cotter pin (3/32"x3/4")	6	.05	52x5216
855	Driving flange (Spicer joint)	1	4.75	37526
	Bolt, nut and lockwasher (1/4"-28x7/8" Hex.)	6	.10	{16x1613 37x3170 42x4227
856	Pinion	1	15.00	37481
	Key (No. 5 Woodruff)	1	.05	47x4714
857	Pinion dust felt	1	.15	37497
857-1	Pinion dust felt retainer	1	.10	37498
857-2	Pinion dust felt retainer locking ring	1	.15	37499
858	Pinion nut	1	.25	37527
866	Drive shaft bearing (Timken No. 435-T)	2	5.00	
866-1	Drive shaft bearing cup (Timken No. 4320)	2	2.40	
867	Drive shaft bearing retainer	2	2.50	37485
867-1	Drive shaft bearing retainer felt	2	.15	37504
867-2	Drive shaft bearing retainer felt washer	2	.10	37515
868	Drive shaft grease felt	2	.15	37496
868-1	Drive shaft grease felt retainer	2	.10	37495
868-2	Drive shaft grease felt washer	2	.10	37494
869	Drive shaft	2	7.90	37508
869-4	Drive shaft nut	2	.15	33704
	Washer (1-1/2" O. D.-29/32" I. D.x1/8" thick)	2	.05	41x4159
	Key (No. 24 Woodruff)	4	.05	47x4739
	Cotter pin (1/8"x1-1/2" long)	2	.05	52x5223
871-1	Differential complete	1	56.25	Assembly
872	Differential case, right	1	10.65	35422
873	Differential spider	1	6.25	35449
875	Differential equalizing pinion	4	3.15	35438
877	Differential equalizing gear	2	6.25	35439
879	Differential case, left	1	7.50	35421
	Bolt, nut and lockwasher (5/16"-24x2-3/4" Hex.)	8	.10	{17x1767 37x3711 42x4228
881	Differential bearing adjusting case	1	4.70	35430
881-2	Differential bearing adjusting nut	1	2.25	35427
881-4	Differential bearing adjusting nut stop plate	1	.20	36805
	Bolt and lockwasher (3/8"-24x1/2" Hex.)	2	.05	{18x1810 42x4229
887	Differential bearing retainer	2	.45	35428
888	Differential bearing retainer lock wire	2	.15	36803
889	Differential bearing bracket, right	1	.80	35424
890	Differential bearing case lock nut lock clip	1	.20	36804
	Bolt and lockwasher (5/16"-24x1/2" Hex.)	1	.10	{36838 42x4228
	Cotter pin (3/32"x1-1/2" long)	1	.05	52x5218
892	Differential driving gear	1	25.00	35419
893	Differential driving gear bolt and nut	8	.15	{36801 39x3912
	Cotter pin (3/32"x3/4")	8	.05	52x5216
894	Differential bearing (Gurney No. 213 or S. K. F. No. 1213)	2	13.20	

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.






PLATE No. 5 MOTOR AND MOTOR BRAKE

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

PLATE No. 5
Motor and Motor Brake Parts—Cont'd.

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
1228	Brush holder pigtail	4	.25	
	Screw (No. 10-24x3/8" round-brass)	4	.05	
	Washer (5/8" O. D.-3/16" I. D.x1/16" thick-brass)	4	.05	
1231	Brush, carbon	8	.25	
1232	Screw (No. 10-24x7/8" round-brass)	8	.05	
1233	Bearing, commutator end (Hess-Bright No. 6306)	1	6.50	
	Bearing retainer, commutator end	1	.75	
	Set screw (No. 10-24x3/8" round)	1	.05	
1235	Bearing spacing sleeve	1	.15	
1235-1	Bearing spacing sleeve	1	.15	
MOTOR BRAKE				
1236	Support	1	8.75	Assembly 36697-37203 37209-37204 37206-37205
1238	Hub (With universal products joint)	1	5.25	37520
A-1238	Hub (With Spicer joint)	1	4.40	37221
1239	Brake drum	1	2.55	37212
	Bolt and nut (3/8"-24x1" Hex.)	6	.10	18x1864 39x3912
	Cotter pin (3/32"x3/4")	6	.05	52x5216
1243	Brake shoe	2	1.75	37201
1243-1	Brake shoe bushing (7/8" O. D.-5/8" I. D. x 1-1/8" length—O. & S. oilless bushing)	2	.30	37202
1244	Brake shoe lining	2	.80	36698
	Rivet (No. 9x5/8" copper)	12	.05	90x9026
1245	Brake shoe spring	2	.05	37215
1248	Brake shoe hinge pin	2	.40	37213
	Nut and lockwasher (9/16"-18 Hex.)	2	.10	37x3715 42x4250
1250	Brake cam lever	2	.55	37210
	Taper pin (No. 3x1-1/4")	2	.05	50x5021
1250-1	Brake cam lever spring	1	.15	37222
1251	Brake cam lever connecting rod	1	.30	37216
1251-1	Brake cam lever connecting rod clevis	1	.15	45x4512
	Nut and lockwasher (5/16"-24 Hex.)	1	.10	37x3711 42x4228
	Clevis pin (5/16"x1-1/16")	2	.05	46x4612
	Cotter pin (3/32"x1/2")	2	.05	52x5215
1252	Cam shaft	2	.50	37217
	Cotter pin (1/8"x1-1/2")	2	.05	52x5223
1252-1	Cam shaft bushing	4	1.00	36699
1252-2	Cam	2	.40	37207
1252-3	Cam plate, in shoe	2	.55	37214
	Nut (1/2"-20 Hex.)	2	.05	37x3733
1254	Cam shaft tie rod	1	.15	37208
	Clevis pin (5/16"x1-1/16")	2	.05	46x4612
	Cotter pin (3/32"x1/2")	2	.05	52x5215
	Nut and lockwasher (5/16"-24 Hex.)	1	.05	37x3711 42x4228
1255	Shaft nut	1	.25	37527
1257	Commutator cover (Two pieces)	1	.95	37219
	Screw and nut (No. 14-20x1-3/4" round)	2	.10	36x361055 82x8220
1262	Support bolt, front (U.)	1	.25	37225
	Nut and lockwasher (5/8"-18 Hex.)	2	.10	37x3716 42x4251
1262-1	Support bolt, rear (5/8"-18x5-1/4" Hex.)	2	.10	36693
	Nut and lockwasher (5/8"-18 Hex.)	2	.10	37x3716 42x4217
1264	Supporting bolt distance spacer, rear	2	.20	37167
1270	Motor head cover	1	3.45	36692
1272	Motor swivel block	1	.30	36695
1273	Motor head cover gasket	1	.20	36696

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.




PLATE No. 6 FRAME MEMBERS AND BRACKETS

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

PLATE No. 6

FRAME MEMBERS AND BRACKETS

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
1401	Frame member, right.....	1	25.00	37172
1402	Frame member, left.....	1	25.00	37173
1403	Spring horn, right front.....	1	4.50	37164
1404	Spring horn, left front.....	1	4.50	37163
1405	Spring horn, right rear.....	1	4.00	37162
1406	Spring horn, left rear.....	1	4.00	37161
1409	Cross member, first.....	1	2.50	37175
1412	Cross member, gusset, left.....	1	1.00	37193
1412-1	Cross member, gusset, right.....	1	1.00	37192
1415-1	Fender iron, front.....	2	1.95	37186
	Bolt, nut and lockwasher (3/8"-24x1-3/4" Hex.)..	6	.10	18x1820 37x3712 42x4229
1415-2	Fender iron, rear.....	2	1.95	37185
	Bolt, nut and lockwasher (3/8"-24x1" Hex.).....	6	.10	18x1814 37x3712 42x4229
1417	Cross member, second.....	1	2.00	37176
1418	Cross member gusset, right.....	1	.75	37182
1418-1	Cross member gusset, left.....	1	.75	37183
1420	Front spring bracket.....	2	1.70	37166
1420-1	Front spring bracket bushing (1" O. D.-5/8" I. D. x 1-3/4" length-bronze).....	2	.45	35317
1430	Cross member, third.....	1	2.00	37177
1432	Cross member, fourth.....	1	2.25	37178
1445	Cross member, fifth.....	1	2.00	37179
1448	Brake countershaft bracket.....	2	1.80	37256
	Bolt, nut and lockwasher (5/16"-24x3/4" Hex.)..	4	.10	17x1712 37x3711 42x4228
1449-1	Brake countershaft bracket bushing (1-7/16" O. D. x 1-1/8" I. D. x 1-1/2" length-Nigrum).....	2	.40	37254
1446	Cross member gusset, left.....	1	.75	37183
1446-1	Cross member gusset, right.....	1	.75	37182
1452	Cross member, sixth.....	1	3.00	37180
1455	Cross member, seventh.....	1	2.00	37181
1457	Cross member gusset, right.....	1	2.25	37194
1457-1	Cross member gusset, left.....	1	2.25	37195
1467	Rear spring bracket.....	2	2.40	37165
1473	Running board bracket.....	4	.75	37187
1477	Tail lamp bracket.....	1	2.00	37188
	Bolt, nut and lockwasher (5/16"-24x7/8" Hex.)..	2	.10	17x1713 37x3711 42x4228
68-1510	License bracket.....	1	.75	33410
69-1510	License bracket.....	1	1.75	38554
1510-1	License clip.....	1	.25	33409
1510-2	License clip bolt and lockwasher (5/16"-24x4-3/4" Hex.).....	1	.15	17x1741 42x4228

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

PLATE No. 7
CONTROLLER

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
1601	Controller, complete	1	75.00	37714
1602	Bottom	1	1.15	37398
1605	Drum	1	.55	37388
1605-1	Drum shaft	1	.50	37385
1606	Drum flange, left	1	.65	37382
	Dowel (9/32"x1" long)	2	.05	
	Wood screw (No. 10x1-1/4" Flat)	2	.05	54x54217
1607	Drum flange spring	1	.10	37384
	Washer (1-1/8" O. D.-5/8" I. D.x1/32" thick)	1	.05	41x4192
1608	Pinion gear	1	.50	37376
	Taper pin (No. 2x1")	1	.05	50x5016
1610	Driving gear	1	1.50	37389
	Machine screw and lockwasher (No. 14-20x3/4" Round)	1	.05	36x36363
	Dowel pin (3/16"x5/8" long)	2	.05	73x73209
1612	End bracket, right	1	5.90	37393
1612-1	Drum bearing	2	1.00	37375
1612-2	Drum bearing set screw	2	.15	37378
	Nut (5/16"-24 Hex.)	2	.05	37x3711
1614	End bracket, left	1	2.15	37392
1614-1	End bracket bearing support	1	1.05	37397
	Screw and washer (1/4"-28x3/8" Hex.)	3	.05	16x1647 42x4227
1615	Drum flange, right	1	.75	37382
1617	Finger support	1	.65	37391
	Machine screw and washer (No. 14-20x1-3/4" Round)	2	.05	36x361055 41x4152
1618	Segment oiling felt	1	.50	36720
1618-1	Segment oiling felt bracket	2	.10	37395
1618-2	Segment oiling felt retainer	1	.65	36795
	Machine screw, nut and washer (No. 10-24x1" Round)	2	.10	36x36345 82x8218 42x4226
	Machine screw, nut and lockwasher (No. 10-24x1/2" Round)	3	.10	41x4150 36x36341 82x8218 42x4226
1619	Ferrule for segment "E" and "F"	1	.80	36739
1619-1	Ferrule for segment "F" and "O"	1	.80	37704
1619-2	Ferrule for segment "N" and "P"	1	.90	37705
1619-3	Ferrule for segment "M"	1	.80	37706
1619-4	Ferrule for segment "M"	1	.95	37707
	Wood screw (No. 8x3/4" Flat)	13	.05	54x54183
1621-4	Segment "E"	1	.65	36727
1621-5	Segment "F"	1	.90	36728
1622-1	Segment "M"	1	1.95	37700
1622-2	Segment "N"	1	1.15	37701
1622-3	Segment "O"	1	.70	37702
1622-4	Segment "P"	1	.60	37703
	Machine screw (No. 10-24x1/2" Flat)	16	.05	36x36641 35862
1623	Speed stop lever	1	1.50	35862
	Machine screw (No. 10-24x1/2" Flat)	16	.05	36x36641
1623-2	Speed stop lever bearing bolt	1	.15	18x1820 41x4153 42x4229
1624	Speed stop lever spring	1	.10	37722
1624-1	Speed stop lever spring adjusting stud	1	.20	35868
1624-2	Speed stop lever spring adjusting stud wing nut	1	.25	36786
1627	Speed stop lever roller and pin	1	1.00	34125 34121
	Nut and lockwasher (No. 14-20 Hex.)	1	.10	36466 37x3710 42x4227




PLATE No. 7 CONTROLLER

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

PLATE No. 7

CONTROLLER—Continued

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
1634	Operating shaft	1	1.25	37387
1634-2	Operating shaft bushing	2	.55	36394
1634-3	Operating shaft collar	1	.20	37383
	Cotter pin (1/8"x1-1/2" long)	1	.05	52x5223
1635	Reverse lever	1	1.75	37386
1635-1	Reverse lever bushing	1	.80	35343
1637	Reverse contact	1	1.05	37652
1637-1	Reverse contact	1	1.05	37651
	Screws and washers (No. 10-24x3/4" Round)	4	.05	36x36793 42x4226 41x4184
1637-3	Reverse contact wire, long	1	.80	37717
1637-4	Reverse contact wire, short	4	.30	37718
1638	Reverse lever insulating bushing	1	.10	35718
1639	Reverse lever insulation	1	.30	37380
1649	Terminal, single	6	.65	36736
1649-1	Terminal, double, right throw	2	.65	36738
1649-2	Terminal, double, left throw	2	.65	36737
	Screw, nut and washer (No. 10-24x2" Flat)	10	.10	36x361103 82x8218 41x4150
	Wood screw (No. 10x3/4" Flat)	10	.50	54x54214
1652	Finger, main	10	.50	36741
	Screw and washer (No. 10-20x1/2" Round)	10	.05	36x36811 41x4178
1658	Wire terminal, taper	16	.10	67x6711
	Screw and washer (No. 14-20x1/2" Round)	16	.05	36x36811 41x4178
1671	Ratchet release rod lever bracket	1	.65	37719
A-1671	Ratchet release rod lever bracket	1	.50	37720
	Nut and lockwasher (1/4"-28 Hex.)	1	.10	37x3710 42x4227
	Clevis pin (5/16"x1-1/6")	1	.05	46x4612
	Cotter pin (3/32"x1/2")	1	.05	52x5215
1675	Ratchet release rod lever	1	.45	37400
	Ratchet release rod lever roller and pin	1	1.25	36466 34121 37x3710 34125
1704	Cover	1	1.00	37399
1705	Cover locking piece	2	.20	36383
	Rivet (1/4"x1/4" Round)	2	.05	
1705-1	Cover locking piece shoulder screw	1	.15	37379
1720	Reverse pedal	1	.50	37677
A-1720	Reverse pedal	1	.50	38356
1724	Reverse pedal parallel rod (with A-1725 pad only)	1	.25	37364
	Cotter pin (1/16"x1/2")	2	.05	52x5210
	Washer (5/8" O. D.-17/64" I. D.x3/64" thick)	2	.05	41x4178
1724-1	Reverse pedal parallel rod bracket	2	.40	38361
1725	Reverse pedal foot pad	1	.75	37361
A-1725	Reverse pedal foot pad	1	.55	38360
1725-1	Reverse pedal foot pad hinge screw	1	.10	33936
A-1725-1	Reverse pedal foot pad hinge pin (Sup.)	1	.10	38355
B-1725-1	Reverse pedal foot pad hinge pin	1	.10	38393
1726	Reverse pedal hinge bracket	1	.50	37679
	Screw, nut and lockwasher	3	.10	36x36 82x8221 42x42207
1727	Reverse pedal connecting link	1	.80	3768827
1727-1	Reverse pedal connecting link adjusting clevis	1	.25	44x44
	Nut and lockwasher (5/16"-24 Hex.)	1	.05	37x3712 42x4211
	Clevis pin (5/16"x1-1/16")	2	.05	46x4628
	Cotter pin (3/32"x1/2")	2	.05	52x5212

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

PLATE No. 7

CONTROLLER—Continued

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
1729	Reverse pedal hinge pin	1	.10	46x4615
1730	Reverse idler lever	1	.65	37686
	Taper pin (No. 2x1" long)	1	.05	50x5016
1731	Reverse idler lever shaft	1	.70	37685
1733	Reverse idler lever shaft spring	1	.10	37687
1735	Reverse idler bracket	1	.90	37680
	Stud and nut (5/16"-24x4-1/4")	1	.05	27x27 37x3721
1736	Reverse operating rod	1	1.00	3769311
1736-1	Reverse operating rod adjusting clevis	1		34195
	Clevis pin (5/16"x1-1/16")	1	.05	46x46
	Cotter pin (3/32"x1/2")	1	.05	52x5212
1744	Operating lever	1	1.25	3739015
	Key (No. 5 Woodruff)	1	.05	47x47
1750	Cutout arm	1	1.05	3739614
1750-1	Cutout arm bushing	1	.80	35343
1750-2	Cutout arm collar	1	.15	37729
1752	Cutout contact	1	.65	12829
1753	Cutout contact rivet	1	.10	12827
1755	Cutout contact insulation	1	.10	12825
1755-1	Cutout contact insulation bushing	1	.10	12828
1760	Cutout blade and terminal, R. H.	1	1.30	37394 37653
1760-1	Cutout blade and terminal, L. H.	1	1.30	37394 37654
	Machine screw and washer (No. 10-24x1-7/8" Round)	2	.05	36x361063 41x4150

PLATE No. 8

CONTROLLER MAST

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
1901	Controller mast	1	6.25	37670
1902	Handle	1	1.05	37667
1903	Handle grip	1	.50	34105
1904	Handle hinge pin	1	.55	37672
	Ball (3/16" Standard)	1	.05	
1904-1	Handle hinge pin nut	1	.25	37673
1906	Bracket support	1	3.65	37423
1908	Spring	1	.10	37662
	Washer (1-1/4" O. D.-25/32" I. D.x1/8" thick)	1	.05	41x4158
1912	Lower bearing race—conical	1	.25	37659
1912-1	Lower bearing race—cup	1	.25	37660
	Ball (1/4" Standard)	13	.05	
1912-2	Lower bearing dust felt	1	.10	37661
1912-3	Lower bearing dust felt washer	1	.10	37663
1913	Lower bearing adjusting nut	1	.75	37656
	Bolt and lockwasher (5/16"-24x1-3/8" Hex.)	1	.10	17x1738 42x4228

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

PLATE No. 8
BRAKE CONTROL—Continued

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
	Bolt, nut and lockwasher (5/16"-24x1-3/4" Hex.)	1	.10	17x1720 37x3711 42x4228
2129-2	Ratchet dog release shaft and lever	1	1.20	37267
	Washer (15/16" O. D.-17/32" I. D.x1/16" thick)	1	.05	41x4155
	Cotter pin (3/32"x3/4")	1	.05	52x5216
2129-3	Ratchet dog release shaft bushing	2	.20	35723
2130	Ratchet dog release rod	1	.40	37282
2130-1	Ratchet dog release rod spring (10 turns)	1	.10	37694
2130-2	Ratchet dog release rod spring (6 turns)	1	.10	37726
	Washer (9/16" O. D.-9/32" I. D.x1/16" thick)	4	.05	41x4151
	Cotter pin (1/16"x1/2")	2	.05	52x5210
	Clevis pin (1/4"x57/64")	1	.05	46x4611
2132	Cutout switch operating rod	1	1.20	37283
2132-1	Cutout switch operating rod clevis	1	.25	
	Clevis pin (5/16"x1-1/16")	1	.05	46x4612
	Cotter pin (1/16"x3/4")	1	.05	52x5211
2149	Floor plate	2	.45	35740
	Screw (No. 10x5/8" flat)	8	.05	54x54213
2149-1	Floor plate dust felt	2	.10	36644
2151	Ratchet dog release shaft spring	1	.10	37281
	Screw (No. 10-24x1/2" round)	1	.05	36x36341
2205	Motor brake operating lever	1	1.40	37695
	Bolt, nut and lockwasher (5/16"-24x1-3/8" Hex.)	1	.10	17x1738 37x3711 42x4227
2206	Motor brake operating lever shaft	1	.15	37690
2207	Motor brake operating lever bracket	1	.95	37689
2207-1	Motor brake operating lever bracket bushing	2	.15	35723
2210	Motor brake operating rod, long	1	.65	37692
2210-1	Motor brake operating rod, short	1	.40	37691
2215	Motor brake idler	1	1.65	37696
	Bolt and lockwasher (5/16"-24x1-1/4" Hex.)	1	.10	17x1716 42x4228
2216	Motor brake idler bracket	1	2.15	36358
2217	Motor brake idler bolt	1	.50	36362
2218	Motor brake idler bolt bearing	2	.65	36504
2230	Brake rod—foot lever to countershaft	1	.35	37255
2241	Brake lever—for rear brake rods	2	1.65	37257
	Key (No. 9 Woodruff)	2	.05	47x4718 18x1821
	Bolt, nut and lockwasher	2	.10	37x3712 42x4213
2241-1	Brake lever—countershaft	1	1.50	35731
	Key (No. 9 Woodruff)	1	.05	47x4718 18x1821
	Bolt, nut and lockwasher (3/8"-24x1-7/8" Hex.)	1	.10	37x3712 42x4213
2245	Brake rod, rear—countershaft to cam shaft	2	.50	35741
2246	Brake rod clevis	3	.30	45x4512
	Nut and lockwasher (5/16"-24 Hex.)	3	.05	37x3711 42x4228
2260	Countershaft	1	1.25	37258
2310	Ratchet housing	1	4.00	37261
	Bolt, nut and lockwasher (5/16"-24x3/4" Hex.)	4	.10	17x1712 37x3711 42x4228
	Bolt and lockwasher (5/16"-24x1-1/8" Hex.)	1	.10	
2310-1	Ratchet housing reinforcement	1	.35	37284
	Bolt, nut and lockwasher (5/16"-24x5/8" Hex.)	2	.10	17x1711 37x3711 42x4228
	Bolt and lockwasher (5/16"-24x1/2" Hex.)	2	.10	17x1710 42x4228

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.




PLATE No. 9

WIRING—METERS

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

PLATE No. 8
BRAKE CONTROL—Continued

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
2311	Ratchet housing top cover	1	.10	37277
	Screw and lockwasher (No. 10-24x1/2" round)	4	.05	36x36341 42x4226
2312	Ratchet housing bottom	1	1.25	37260
	Screw and lockwasher (No. 10-24x5/8" round)	4	.05	36x36342 42x4226
2315	Foot pedal stop bracket	1	.40	37169
	Bolt and nut (5/16"-24x1-7/8" Hex.)	2	.10	17x1743 37x3711

PLATE No. 9
WIRING

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
2401	Resistance complete	1	3.75	37224
2402	Unit	1	1.15	37383
2402-1	Unit reinforcement	1	.10	37362
2403	Terminal	2	.40	36760
	Screw (No. 10-24x3/8" round)	4	.05	36x36340
2405	Terminal washer—iron	4	.05	41x4181
2406	Terminal washer—mica	4	.05	36758
2407	Terminal insulation bushing	2	.10	36757
2408	Terminal binding post	2	.05	17x1746 37x3711
	Nut and lockwasher	2	.05	42x4228
2409	Support	1	1.05	37698
2423	Light fuse block	1	5.00	35506
	Screw (No. 14x1-1/4" round)	2	.05	78x78181
	Screw (No. 14x1-1/2" round)	2	.05	78x78182
2424	Light fuse (5 amp.-250 volts)	8	.15	35580
2424-1	Light fuse (15 amp.-250 volts)	2	.15	35579
2430	Charging receptacle	1	5.00	35501
	Bolt, nut and lockwasher (5/16"-24x3/4" Hex.)	3	.10	
2437	Charging receptacle cap	1	.15	35589
	Screw, nut and lockwasher (No. 10-24x1-5/8" round)	1	.05	36x361058 84x8418
2450	Charging plug	1	3.75	35501
2455	Meter—Sangamo ampere hour type M. S.	1	20.00	37123
	Screw and washer (No. 14-20x7/8" Fillister)	4	.05	36x36514 41x4111
2458	Meter bracket	1	1.25	37089
2462	Terminal lug	2	.15	1035
2463	Terminal—taper	2	.10	67x6711
2500	Klaxet horn	1	8.00	35153
	Bolt, nut and lockwasher (5/16"-24x3/4" Hex.)	2	.10	17x1712 37x3711 42x4228
2525	Chassis wiring cleat—1 No. 1 wire	4	.10	35510
	Screw and nut (No. 14-20x1/2" round)	4	.05	36x36811 84x8420
2526	Chassis wiring cleat—2 No. 1 wire	1	.10	35563
	Screw and nut (No. 14-20x1/2" round)	1	.05	36x36811 84x8420
2537	Body wiring cleat—4 No. 14 wire	16	.05	12263
2538	Body wiring cleat—6 No. 14 wire	6	.05	35540
	Screw (No. 6x3/8" round)	6	.05	78x7852
2540	Motor cable bracket	1	.10	38255
	Screw (No. 10x1" flat)	2	.05	54x54216

PLATE No. 10
BODY FITTINGS

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
2705	Battery hold down, 4 tray	2	.65	36248
2705-1	Battery hold down, 3 tray	1	.45	65x6511
2706	Battery hold down, 2 tray	2	.40	65x6510
2707	Battery hold down, 1 tray	4	.30	62x6211
2708	Battery hold down wing nut	9	.05	66x6610
69-2720	Corner seat bracket	1	.95	38326
	Screw (No. 12x1-1/4" Flat)	4	.05	54x54247 18x1856 37x3712 42x4229
	Bolt, nut and lockwasher (3/8"-24x4-3/16" Hex.)	1	.15	33615 33614
69-2721	Corner seat frame	1	4.40	33616
69-2722	Corner seat bottom	1	.75	33616
	Carriage bolt and nut (1/4"x1-1/4" long)	2	.10	53x53113
	Screw (No. 10x3/4" Flat)	4	.05	54x54214
68-2730	Window regulator handle	2	1.25	
68-2730-3	Window regulator handle screw	2	.25	
68-2735	Window regulator, right, complete less handle	1	10.00	37908
68-2735-1	Window regulator, left, complete less handle	1	10.00	37907
	Bolt, nut and lockwasher (1/4"-20x2-1/2" Step)	4	.15	38x3810 42x4229
68-2800	Curtain rod	2	.90	37943
	Screw (No. 5x5/8" Oval-Nickel)	4	.05	77x7742
68-2875	Front window weather strip (34-7/8" long)	1	.80	37925
69-2875	Front window weather strip (39-3/4" long)	1	.80	37971
2920	Lighting switch, 3 gang special	1	3.35	37142
68-2931	Hood hold down clasp, front	1-2	.90	34507
69-2931	Hood lid clamp assembly, front	4	2.50	38607
2931-1	Hood hold down clasp, rear	2	1.15	37916
	Rivet (3/16"x5/8" Button)	9-15	.05	48x4817
2936-1	Hood hold down hook bushing	3-4	.30	35996
2937	Hood hold down hook spring	3-4	.10	12514
68-2938	Hood hold down hook only, front	1-2	.20	37903
2939	Hood hold down hook only, rear	2	.20	37789
	Nut (1/4"-28 Hex.)	4	.05	37x3710
2940	Front window hinge	2-3	.30	36132
	Screw (No. 6x3/4" Oval)	6-9	.05	76x7683
2941	Front window fastener, right	1	1.55	37918
2941-1	Front window fastener, left	1	1.55	37917
2944	Window lift plate	1-3	.50	36645
68-2946	Front window throwout, right	1	3.50	36576
69-2946	Front window throwout, right	1	3.50	37982
68-2946-1	Front window throwout, left	1	3.50	36575
69-2946-1	Front window throwout, left	1	3.50	37981
2947	Front window throwout bracket	2	.70	36573
68-2947-2	Front window throwout arm, right	2	.95	36572 36125
69-2947-2	Front window throwout arm, right	2	.95	36126 36125
68-2947-3	Front window throwout arm, left	1	.95	36572 36125
69-2947-3	Front window throwout arm, left	1	.95	36126 36125
	Screw (No. 5x1/2" Oval-Nickel)	4	.05	77x7741
2948	Front window throwout adjusting screw	2	.45	36574
2948-1	Front window throwout adjusting screw washer	2	.10	36124
	Screw (No. 4x1/2" Flat-Nickel)	2-6	.05	55x55132

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.




PLATE No. 10 **BODY FITTINGS**

To avoid any error in obtaining correct parts, prefix all part number with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

PLATE No. 10

BODY FITTINGS—Continued

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
2955	Door lock, right.....	1	4.70	37752
2956	Door lock, left.....	1	4.70	37751
	Screw (No. 6x1/2" Round).....	4	.05	78x7853
	Screw (No. 8x5/8" Flat).....	6	.05	54x54182
68-2957	Door lock handle.....	2	5.65	37914
68A-2957	Door lock handle.....	2	5.65	37952
69-2957	Door lock handle.....	2	5.65	37965
2960	Door lock inside lever.....	2	.65	34476
2964	Door lock handle nut.....	2	.20	34497
2965	Door lock handle nut washer.....	2	.05	34494
2966	Rear window lock.....	1	.65	34473
	Screw (No. 4x1/2" Flat).....	2	.05	54x54133
	Screw (No. 6x5/8" Flat).....	2	.05	54x54154
69-2966-1	Quarter window hold in assembly.....	4	2.75	38605
2967	Door lock inside lever bracket.....	2	.50	34485
	Screw (No. 7x5/8" Flat).....	4	.05	54x54168
2968	Door lock inside lever nut, acorn.....	2	.20	34480
2972	Rear hood anti-spreader socket.....	2	.15	36646
	Screw (No. 9x7/8" Flat).....	6	.05	54x54200
2973	Rear hood anti-spreader bracket and dowel.....	2	.30	36648
	Screw (No. 9x7/8" Flat).....	6	.05	36647
2975	Door pull handle with hinge.....	2	1.00	54x54200
2975-1	Door pull handle hinge only (specify trimming to be used on hinge).....	2	.25	

PLATE No. 11—BODY FITTINGS

2981	Head light.....	2	8.50	37940
2981-2	Head light rim and glass.....	2	2.50	37950
2981-3	Head light lens.....	2	.50	
2981-4	Head light lens retainer.....	2	.20	
2981-5	Head light lens retainer locking ring.....	2	.25	
2982	Tail lamp, complete.....	1	6.25	33408
	Bolt and nut (5/16"-24x1-3/8" Hex.).....	1	.10	37x3711
2982-1	Tail lamp ruby glass.....	1	.50	17x1717
2982-2	Tail lamp ruby glass lockwire.....	1	.05	33390
2982-3	Tail lamp reflector.....	1	.65	33407
2982-5	Tail lamp license clip.....	1	.25	33447
	Bolt and lockwasher (5/16"-24x4-3/4" Button).....	1	.10	33409
	Bolt and lockwasher (5/16"-24x6-1/4" Button).....	1	.10	42x4228
2982-6	Tail lamp lens gasket.....	1	.10	17x1766
2982-7	Tail lamp white glass.....	1	.30	42x4228
2982-8	Tail lamp socket.....	1	.25	33438
2985	Head light bracket.....	2	.60	33389
	Stud, nut and lockwasher (5/16"-24x2").....	4	.10	33406
				37934
				27x2714
				37x3711
				41x4152
				42x4228

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.



PLATE No. 11

BODY FITTINGS—Continued

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

PLATE No. 11

BODY FITTINGS—Continued

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
2985-1	Head light prop, right	1	1.15	37932 37936
2985-2	Head light prop, left	1	1.15	37933 37936
2985-4	Head light prop plate	2	.15	37935
	Stud, nut and washers (5/16"-24x1-7/8")	2	.10	27x2719 42x4228 37x3711
2985-5	Head light prop gasket	4	.05	37939
2987	Head light locking nut	2	.25	37937
	Cotter pin (3/32"x1-1/2")	2	.05	52x5218
2987-2	Head light locking nut washer—leather	2	.05	37938
2988	Dome lamp—less bulb	1	3.75	34539
	Screw (No. 6-32x3/8" Round)	2	.05	36x36300
2988-1	Dome lamp lens only	1	2.00	
2990	Grab handle	2	2.25	37915
	Screw (No. 14x1-1/2" Oval)	4	.05	76x76182
68-2993	Front hood prop	1	.65	35993
69-2993	Front hood lid prop	2	.45	37999
2993-1	Rear hood joint	1	.40	36619
	Screw (No. 9x7/8" Flat)	2	.05	54x54200
68-2994	Front hood prop plate	1	.20	35957
69-2994	Front hood lid prop bracket—on hood	2	.25	38000
69-2994-1	Front hood lid prop bracket—on lid	2	.20	38601
69-2995	Heel board lock key	2	.30	36104
69-2995-1	Heel board lock	2	.50	34451
	Screw (No. 8x3/4" Flat)	4	.05	54x54185
2996	Door stop strap loop	2	.25	34482
	Screw (No. 7x1" Oval—Nickel)	4	.05	77x7771
2997	Door stop strap hinge	2	.25	34510
2998	Front window fastener catch	2	.30	37913
	Screw (No. 5x1/2" Oval—Nickel)	4	.05	77x7741
2999	Front window glass support, right	1	.30	37924
2999-1	Front window glass support, left	1	.30	37923
	Screw (No. 8-32x3/8" Flat)	2	.05	36x36170
3002	Rear window frame rest	2	.05	34519
3003	Door hinge, lower—right	1	1.25	35970
3003-1	Door hinge, lower—left	1	1.25	35969
3004	Door hinge, center—right	1	1.25	35968
3004-1	Door hinge, center—left	1	1.25	35967
3005	Door hinge, upper—right	1	1.25	35966
3005-1	Door hinge, upper—left	1	1.25	35965
	Screw (No. 14x1-1/4" Oval)	12-18	.05	75x75181
	Screw (No. 14x1/4" Oval)	12-18	.05	54x54281
3008	Clock (Waltham 7-day with bracket)	1	25.00	36639
	Screw (No. 7x3/4" round)	4	.05	78x7869
3050	Rainshield, complete with hinge and throwout	1	18.75	
3053	Rainshield glass support	2	.25	36637
3054	Rainshield hinge	2	2.00	36636
	Screw (No. 8x3/4" Oval)	6	.05	76x7683
3055	Rainshield throwout arm, right	1	.95	37962
3055-1	Rainshield throwout arm, left	1	.95	37961
3058	Rainshield throwout adjusting screw	2	.45	
3059	Rainshield throwout adjusting screw washer	2	.10	
69-3065	Hood lid handle	2	.45	37042
	Screw (No. 5x1/2" Oval)	6	.05	77x7741
3229	Hood joint pad	1	.15	36981
	Screw (No. 8x5/8" Flat)	2	.05	54x54182
3235	Scuff plate	2	.75	2159
	Screw (No. 4x1/2" Nickel)	16	.05	54x54133
68-3238	Front hood hinge	1	2.40	37770
69-3238-2	Front hood fastener bracket	3	.25	
69-3238-3	Front hood fastener bracket wing nut	3	.15	
68-3239	Rear hood hinge	1	2.80	37769
69-3239	Rear hood hinge	1	2.80	38313

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

PLATE No. 12

BODY PARTS—Hoods, Seats, Running Board

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
68-3245	Front hood	1	50.00	
69-3245	Front hood	1		
68-3247	Front hood brace	2	.15	37762
69-3247	Front hood brace	2	.15	38323
	Screw (No. 8-3/4" Flat)	8	.05	54x54183
68-3248	Front hood rubber	1	.50	37920
3249	Front hood rubber bumper	4	.05	37765
68-3255	Rear hood	1	25.00	
69-3255	Rear hood	1	25.00	
3256	Rear hood brace, right	1	.15	37768
3256-1	Rear hood brace, left	1	.15	37771
	Screw (No. 10x3/4" Flat)	8	.05	54x54214
68-3258	Rear hood rubber	1	.50	37921
69-3258	Rear hood rubber	1	.50	37980
3259	Rear hood rubber bumper	2	.05	37960
3550	Revolving seat, complete, (Specify trimming)	1		36975
3551	Revolving seat pillar	1	5.00	36967
	Screw (No. 14-20x1-1/2" Flat)	3	.05	36x36219
	Screw (No. 14-1-1/4" Flat)	2	.05	54x54281
3552	Revolving seat pillar head	1	8.75	36198
3553	Revolving seat bushing	1	.30	36968
3553-1	Revolving seat bushing lockwire	1	.05	36974
3555	Revolving seat pivot pin	1	.90	36972
3556	Revolving seat pivot pin nut	2	.10	37x7332
3557	Revolving and driver's seat release shaft	1	.25	34680
3558	Revolving and driver's seat release shaft spring	1	.05	34681
3559	Revolving and driver's seat release shaft handle	2	.65	34272
	Taper pin (No. 0x3/4")	2	.05	50x5010
3561	Revolving and driver's seat release shaft lever	1	.65	34674
	Taper pin (No. 0x1")	1	.05	50x5011
3562	Revolving and driver's seat release shaft locking pin	1	1.00	34677
	Cotter pin (1/16"x1/2")	1	.05	52x5216
	Clevis pin (1/4"x57/64")	1	.05	34679
3567	Revolving seat bottom and back frame	1	3.75	37780
	Screw (No. 10x3/4" flat)	4	.05	54x54214
	Screw (No. 10x1" flat)	6	.05	54x54216
3568	Revolving seat frame reinforcement, right	1	.15	37776
3568-1	Revolving seat frame reinforcement, left	1	.15	37777
3568-2	Revolving seat frame reinforcement, back	1	.15	37779
	Screw (No. 12x3/4" flat)	34	.05	54x54244
3569	Revolving seat band iron	1	.20	37949
3801	Running board, right—assembly	1	7.00	38202
3802	Running board, left—assembly	1	7.00	38201
3805	Running board only, right	1	1.75	35942
3806	Running board only, left	1	1.75	35939
	Bolt, nut and lockwasher (5/16"-24x5/8" Hex.)	8	.10	17x1711 42x4228 41x4152 37x3711 35935
3809	Running board moulding, front	2	1.25	36x361067 82x8218 42x4226 17x1713
	Bolt, nut and lockwasher (5/16"-24x7/8" Hex.)	8	.10	37x3711 42x4228 35937
3810	Running board moulding, rear	2	2.60	17x1765 37x3711 41x4152 42x4228
	Bolt, nut and washers (5/16"-24x1-1/8" Hex.)	6	.10	17x1765 37x3711 41x4152 42x4228
3815	Running board cover—linoleum (Specify color)	2	.50	35938

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.




PLATE No. 12

RUNNING BOARD—SEAT PARTS
CONTROLLER LAYOUT

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2430; 69-1252; 69-616. It is also necessary that you give us car number.

Not Shown
FENDERS—GLASS

Part No.	Name of Part	No. per Car	Price Each	Drawing No.
3820	Fender, right front.....	1	12.00	35946
3821	Fender, left front.....	1	12.00	35947
3822	Fender, right rear.....	1	12.00	35944
3823	Fender, left rear.....	1	12.00	35945
3824	Fender splasher, right.....	1	2.50	
3825	Fender splasher, left.....	1	2.50	
	Screw, nut and washers (No. 10-24x1/2" round).....	52	.10	82x8218 36x36341 41x4150 42x4226
3830	Fender fastening plate.....	4	.15	35904 38x3811 41x4152
	Nut and washers (5/16"-18 Hex.).....	4	.10	42x4228
3835	Fender iron clip, front only.....	2	.10	35915
	Screw and nut (No. 8-32x3/8" round).....	2	.10	36x36320 82x8216
3840	Fender spacer, rear only.....	2	.10	38204
68-3901	Front window glass, upper (34-11/16"x12-9/16"x1/8").....	1	*	37766
69-3901	Front window glass, upper (40-9/16"x11-1/2"x1/8").....	1	*	37974
68-3902	Front window glass, lower (34-3/4"x11-1/2"x1/8").....	1	*	37767
69-3902	Front window glass, lower (39-1/2"x6-7/8"x1/8").....	1	*	37975
68-3903	Front corner glass, right.....	1	*	37758
68-3904	Front corner glass, left.....	1	*	37759
68-3905	Door glass (24-3/4"x21-1/2"x3/16").....	2	*	36174
69-3905	Door glass (19-1/4"x20-3/8"x1/8").....	2	*	37983
68-3907	Rear side quarter glass, right.....	1	*	37756
69-3907	Rear side quarter glass.....	2	*	37985
68-3908	Rear side quarter glass, left.....	1	*	37757
68-3911	Rear window glass.....	1	*	37760
69-3911	Rear window glass (34-5/8"x14-3/16"x1/8").....	1	*	37984
69-3912	Rain shield glass.....	1	*	37953

*Prices not listed owing to many changes.

To avoid any error in obtaining correct parts, prefix all part numbers with model number. For instance: 68-201; 68-2439; 69-1252; 69-616. It is also necessary that you give us car number.


Motor Brushes Used On All Previous Detroit Electrics

Part No.	Model or Type	Width	Height	Thickness	Material	No. Per Car	Price Each
H-454	H	1 3/8	1 1/2		Carbon and Copper Gauze	4	.40
J-454	J	1 1/2	1 1/2		Carbon and Copper Gauze	4	.40
K-454	K	2 1/8	1 1/2		Carbon	4	.40
L-854	L	1 1/2	1 1/2		Carbon and Copper Gauze	8	.25
R-1148	R	1 1/2	1 1/2		Carbon	4	.25
S-1231	S	1 1/2	1 1/2		Carbon	8	.25
U-1231	27-32	1 1/2	1 1/2		Carbon	8	.25
V-1231	25-26	1 1/2	1 1/2		Carbon	8	.25
W-1231	30-31	1 1/2	1 1/2		Carbon	8	.25
13A-1231	36-40	1 1/2	1 1/2		Carbon	8	.25
13B-1231	35	1 1/2	1 1/2		Carbon	8	.25
13C-1231	39	1 1/2	1 1/2		Carbon	8	.25
13D-1231	37	1 1/2	1 1/2		Carbon	8	.25
13E-1231	42	1 1/2	1 1/2		Carbon	8	.25
13F-1231	42	1 1/2	1 1/2		Carbon	8	.25
-1231	1914-1915 1916-1917	1 1/2	1 1/2		Carbon	8	.25

Lamps Used On All Previous Detroit Electrics

Part No.	Where Used	Volts	Size	Kind of Base	Filament	List Price Each
4001	Outside Lamp	24	G-18 1/2	Edison	Carbon	\$0.55
4002	Outside Lamp	24	G-18 1/2	Edison	Mazda	.70
4003	Outside Lamp	24	G-12	Candelabra	Carbon	.55
4004	Outside Lamp	24	G-12	Ediswan	Carbon	.70
4005	Outside Lamp	24	G-12	Ediswan	Mazda	.55
4007	Outside Lamp	32	G-16 1/2	Ediswan	Carbon	.70
4010	Outside Lamp	38	G-18 1/2	Edison	Carbon	.55
4011	Outside Lamp	38	G-12	Candelabra	Carbon	.70
4012	Outside Lamp	38	G-12	Ediswan	Carbon	.55
4013	Outside Lamp	38	G-12	Ediswan	Mazda	.70
4014	Outside Lamp	40	G-12	Ediswan	Carbon	.55
4015	Outside Lamp	40	G-12	Ediswan	Mazda	.70
4016	Outside Lamp	40	G-16 1/2	Ediswan	Carbon	.90
4017	Outside Lamp	40	G-16 1/2	Ediswan	Mazda	.90
4018	Outside Lamp	42	G-16 1/2	Ediswan	Carbon	.65
4025	Meter	22	Tubular	Candelabra	Carbon	.65
4026	Meter	22	Tubular	Ediswan	Carbon	.65
4027	Meter	36	Tubular	Ediswan	Carbon	.65
4028	Meter	40	Tubular	Ediswan	Carbon	.65
4029	Meter	42	Tubular	Ediswan	Carbon	.65
4035	Inside	24	G-12	Edison	Carbon	.90
4036	Inside	36	Special	Edison	Carbon	.90
4037	Inside	38	Special	Edison	Carbon	.90
4038	Inside	40	Special	Edison	Carbon	.90
4039	Inside	40	G-16 1/2	Edison	Carbon	.90
4040	Inside	42	G-12	Ediswan	Mazda	.90

G-12 1/2 Bulb is approximately 1 1/2 inches diameter.
G-15 3/4 Bulb is approximately 2 inches in diameter.
G-18 1/2 Bulb is approximately 2 1/8 inches in diameter.



D

Price List of Detroit Electric Cars

(Prices subject to change without notice)

- Model 71 Rear Drive Four-Passenger Brougham**
With Detroit Electric Guaranteed Lead Battery . . . \$2940.00
- Model 72 Forward Drive Five-Passenger Brougham**
With Detroit Electric Guaranteed Lead Battery . . . \$3015.00
- Model 73 Rear Drive Five-Passenger Brougham**
With Detroit Electric Guaranteed Lead Battery . . . \$2990.00
- Model 74 Duplex Drive Five-Passenger Brougham**
With Detroit Electric Guaranteed Lead Battery . . . \$3040.00
- Model 75 Rear Drive Four-Passenger Brougham**
With Detroit Electric Guaranteed Lead Battery . . . \$1975.00
- Model 76 Rear Drive Three-Passenger Roadster**
With Detroit Electric Guaranteed Lead Battery . . . \$1975.00

Houk wire or wood wheels, Goodrich Silvertown cord pneumatic or cushion tire optional on all models except Models 75 and 76. Houk wire wheels and Goodrich Silvertown cord pneumatic tires only on Models 75 and 76.

ALL PRICES F. O. B. DETROIT

All printed literature and illustrations describing our products are subject to such changes as the necessities of manufacturing and mechanical construction may require us to adopt.

THE ANDERSON ELECTRIC CAR CO.

Makers of Detroit Electric Cars

Detroit, Michigan

1918

